

JOURNAL	Submitted: 4/09/2002; Veterinary Medicine/Epidemiology University of California Davis, 2108 Upper Hall, Davis, CA 95616;
REMARK	Sequence update by submitted on Jun 23, 2003; this sequence replaced g115146407.
COMMENT	WARNING: On Jun 23, 2003, this sequence was replaced by a newer version (gi 3214413).
COMMENT	
FEATURES	Location/Qualifiers
SOURCE	gi 9208
SOURCE	2,84
	/organism="Moraxella bovis" /mol_type="genomic DNA" /strain="Tifton I" /db_xref="taxon:476"
CDS	A74
	/codon_start=1 /transl_table=11 /product="transposase" /protein_id="gi 16514413 C-MBxA " /db_xref="taxon:476" /length=1651 /seq= AVMVTSRSDVYDQVTTTERRVSSSTDVNNNTADATNNWSLNSJSHWVLDVTESEDD GKS1ERENKINQVQHEDDTNDAKTSVRSKAKSONKSLEQLEFGK" /gene="mbxA" /gene="mbxA" /gene="mbxA" /gene="mbxA" /gene="mbxA" /gene="mbxA" /gene="mbxA" /gene="mbxA" /note="MBxA; RTX structural toxin; cytotoxin"

[SKIP: unchanged/identical feature/sequence/publication information is not displayed]

```

/codon_start=1
/transl_table=11
/product="RTX toxin"
/protein_id="AAK84651_1"
/db_xref="GI:15146408"
/translation="MSNINVIKSNTQAGLNSTKSGLKNLYLAIPKDYDPOGGGTLDNE
IKRADELGIAARLAEPPNHTETARKSVDTVNQFLSLTQGIAISATKLEKFLOKHSTNK
LAKGLDSVENIDRKLKGASNVNLSTLSSFLTAGIELSDSLIKGDAAPDALAKASID

SVANRLOGKILEWEKONGGQNYFDKGYSRYAAYLANNIKFLSELNEKEAERVIAIT
QORWDNNIGELAGITKGERIKSGKAYADAFEDGKKVERGASNITLDAKTGJIDISNSN
GKKTQALHFTSPPLITAGTESFRLTNGKSYINKLKFRVKNWQYTDGEASSKLDFSK
VIQRVAETEGTDEIGLIVNAKAGNDDIFVGQGKMNIDGGDGHDRVFYSKDGGFFNITY
DGTSAATEAGSYTVNRKVARGDIYHEVVKRQETKVGRRTETIQYRDYEILRKVGYGYQST
DNLKSVEEVIGSQENDVEKGSKENDIIFHSGEGDDLIDGGAGDDRIFFGGKGNDRLSGDE
GDDLLGGSGDDVLLGGAGGNDVYIFRKGDGNDTLYDGTTGNDKLAFAADANISDIMIERT
KEGIIVKRNDHSGSINIPRMVITSNLQYQSNKTDHKIEQLIGDGSYITSQIDKIL
QDKKDGTVITSOELKKLADENKSQKLSADIASSLNKLVGSMALEFTANSVSSNALQP
ITQOPTQGILLAPSV"

/misc_feature 2747427749
/misc_feature 26061608
/gene="mbxA"
/note="putative lysine acylation site; unclassified site"

/misc_feature 29452971
/misc_feature 18041830
/gene="mbxA"
/note="characteristic of RTX toxins; Region: glycine rich
repeat"

/misc_feature 29843010
/misc_feature 18431869
/gene="mbxA"
/note="characteristic of RTX toxins; Region: glycine rich
repeat"

/misc_feature 31193120
/misc_feature 19781980
/gene="mbxA"
/note="putative lysine acylation site; unclassified site"

/misc_feature 32933319
/misc_feature 21522178
/gene="mbxA"
/note="characteristic of RTX toxins; Region: glycine rich
repeat"

```


<http://productinfo.mboxx.com>

CDS 7880-9208
codon start [1]
transl

table	[1]
-------	-----

produced putative secreted accessory protein No. C1
protein id = AP4655
db code = G1132 41418

WILDFLOWERS AND FOLIAGE
OF THE
MOUNTAINS OF
THE
SOUTHERN
SIERRA
NEVADA

ORIGIN

03/10/2004

<http://www.ncbi.nlm.nih.gov/entrez/sutils/girevhist.cgi>

630 5cccaaata - 599ccaaat
631 cgttttctt - tttttttttt
632 tttttttttt - tttttttttt
648 gtttgcatt - tttttttttt
654 cttttttttt - tttttttttt
660 tttttttttt - tttttttttt
672 tttttttttt - tttttttttt
678 tttttttttt - tttttttttt
684 tttttttttt - tttttttttt
690 tttttttttt - tttttttttt
696 tttttttttt - tttttttttt
702 tttttttttt - tttttttttt
708 tttttttttt - tttttttttt
714 tttttttttt - tttttttttt
720 tttttttttt - tttttttttt
726 tttttttttt - tttttttttt
732 tttttttttt - tttttttttt
738 tttttttttt - tttttttttt
744 tttttttttt - tttttttttt
750 tttttttttt - tttttttttt
756 tttttttttt - tttttttttt
762 tttttttttt - tttttttttt
768 tttttttttt - tttttttttt
774 tttttttttt - tttttttttt
780 tttttttttt - tttttttttt
786 tttttttttt - tttttttttt
792 tttttttttt - tttttttttt
798 tttttttttt - tttttttttt
804 tttttttttt - tttttttttt
810 tttttttttt - tttttttttt
816 tttttttttt - tttttttttt
822 tttttttttt - tttttttttt
828 tttttttttt - tttttttttt
834 tttttttttt - tttttttttt
840 tttttttttt - tttttttttt
846 tttttttttt - tttttttttt
852 tttttttttt - tttttttttt
858 tttttttttt - tttttttttt
864 tttttttttt - tttttttttt
870 tttttttttt - tttttttttt
876 tttttttttt - tttttttttt
882 tttttttttt - tttttttttt
888 tttttttttt - tttttttttt

Disclaimer | Write to the Help Desk
NCBI | NLM NIH

<http://www.ncbi.nlm.nih.gov/entrez/utilis/girevhist.cgi>

03/10/2004